

Applied Skills in Perinatal Mental Health Assessment and Care

LESSON NOTEBOOK

Module 1 | Lesson 2

What Impacts the Development of Perinatal Mental Health Issues?



Module 1: Lesson 2



Lesson Overview

- 1. Etiology and risk factors
- 2. Theories

COPE: Centre of Perinatal Excellence

ope.or



This material must not be shared or reproduced without written permission from COPE: Centre of Perinatal Excellence

Applied Skills in Perinatal Mental Health:

Module 1: Lesson 2

Etiology

- Research shows ambiguity in mild to moderate presentations
- Less ambiguity and difference of opinion in severe psychopathology, for example Postpartum Psychosis

© COPE: Centre of Perinatal Excellence

cope.org

Etiology

- Risk of Major Depression in 2:1
- 50% higher risk of PND in previous pregnancy
- Antenatal symptoms increased risk postnatally
- · Postpartum psychosis childbirth a trigger
- Psychiatric history and/or family history

COPE: Centre of Perinatal Excellence

cope.org

Challenges

- Up to 80 percent of women at risk not identified
- · Highlights importance of screening and assessment
- Need to understand risk factors

© COPE: Centre of Perinatal Excellence

ope.org.au

This material must not be shared or reproduced without written permission from COPE: Centre of Perinatal Excellence

Applied Skills in Perinatal Mental Health:

Module 1: Lesson 2



Major Risk Factor

- · Previous psychiatric history
 - Not causal increased likelihood
 - Important to assess for historical information

© COPE: Centre of Perinatal Excellence

ope.o

Evidence-based Risk Factors

- Psychiatric History (own and family)
- Alcohol and drug misuse
- Perfectionist or controlling personality
- Past trauma
- Perceived financial difficulties
- Lack of support network
- Relationship strain with partner
- Lack of supports

COPE: Centre of Perinatal Excellence

ope.org.

Module 1: Lesson 2

Population Groups at Greater Risk

- Aboriginal and Torres Strait Islander communities
- Culturally and Linguistically diverse (CaLD) communities
- Women experiencing IPV
- LGBTIQ+ Communities

© COPE: Centre of Perinatal Excellence

cope.org



Aetiological Theories of Perinatal Mental Health

COPE: Centre of Perinatal Excellence

pe.org.


Module 1: Lesson 2

Theories

- CBT theory
- Interpersonal Theory
- Psychoanalytic & Psychodynamic
- Biological Theory
- Theory
- Attachment theory
- Object relations theory
- Family Systems Theory • Developmental Psychology

Theoretical Perspectives

- Behavioural disruptive life events
- · Cognitive factors relating to personality



Module 1: Lesson 2


Theoretical Perspectives

- Behavioural disruptive life events
- · Cognitive factors relating to personality
- Psychoanalytic/psychodynamic internal conflicts


© COPE: Centre of Perinatal Excellence

cope.org


Psychodynamic Theory COPE. Centre of Perinatal Excellence cope.org.au



Applied Skills in Perinatal Mental Health: Module 1: Lesson 2








Module 1: Lesson 2

Theoretical Perspectives

- Behavioural disruptive life events
- Cognitive factors relating to personality
- Psychoanalytic/psychodynamic internal conflicts
- Object relations infant relationships
- Interpersonal relationships with partner/others
- Biological affects of hormonal changes /CNS

© COPE: Centre of Perinatal Excellence

cope.org.:





Family Systems
Theory

COPE: Centre of Perinatal Excellence

pe.org.a

Applied Skills in Perinatal Mental Health: Module 1: Lesson 2







Module 1: Lesson 2

Theoretical Perspectives

- Behavioural disruptive life events
- Cognitive factors relating to personality
- Psychoanalytic/psychodynamic internal conflicts
- Object relations infant relationships
- Interpersonal relationships with partner/others
- Biological affects of hormonal changes /CNS
- Attachment theory parent-child relationship
- Family systems individuals inseparable
- Developmental stages of development

© COPE: Centre of Perinatal Excellence

cope.org.

Holding and Containing

"Holding a postpartum woman when therapy may be the last place she wants to be constitutes one of our greatest therapeutic challenges."

Karen Kleiman

© COPE: Centre of Perinatal Excellence

cope.org.



Applied Skills in Perinatal Mental Health: Module 1: Lesson 2



